

LCD

1RU Single Rail

Modular Series LCD. Our new range of 19" 1RU Rack Mount LCD Monitors supports both USB and PS2 platforms. Supplied with Keyboard & Touch Mouse Pad and key lockable with Resolution up to 1280x1024 (SXGA).

Scalable to Support up to 144 PC Connections




Supplied as a single port, the modular series offers up to 15

different configurations, by simply adding additional KVM Ports. This flexibility enables our customers to scale a solution with Modular KVM's from 8, 16 or 32 KVM Port configurations and still maintaining a low profile 1ru display. Scalable to support up to 144 PC connections allowing future expansion as you grow your infrastructure.

Space Saver

Perfect for 19" cabinets where space is limited. A conventional Monitor may require up to 10ru of space, where our slimline design and fold down monitor only requires 1ru of space within any 19" cabinet.

15" 1RU LCD	115SR-RM
17" 1RU LCD	117SR-RM
19" 1RU LCD	119SR-RM



Refer to Page 66 for more
KVM options and information.

1RU Dual Rail



Modular Series LCD. Our new range of 17" 1RU Rack Mount LCD

Monitors supports both USB and PS2 platforms. Supplied with Keyboard & Touch Mouse Pad and key lockable with Resolution up to 1280x1024 (SXGA).

Features a unique dual rail (patented) design that offers Users and or IT Network Administrators to tuck the keyboard back into it's draw, while leaving the flat panel display in a flipped up viewing position.

Scalable to Support up to 144 PC Connections



Supplied as a single port, the dual rail modular series offers up to 17 different configurations, by simply adding additional KVM Ports. This flexibility enables our customers to scale a solution with Modular KVM's from 8, 16 or 32 KVM Port configurations and still maintaining a low profile 1ru display. Scalable to support up to 144 PC connections allowing future expansion as you grow your infrastructure.

Space Saver

Perfect for 19" cabinets where space is limited. A conventional Monitor may require up to 10ru of space, where our slimline design and fold down monitor only requires 1ru of space within any 19" cabinet.

DualRail LCD

17" 1RU LCD	117DR-RM
19" 1RU LCD	119DR-RM



LCD

Flat Panel Touch Screen LCD

Rack World Systems Flat Panel LCD with 17" or viewing is an 8ru Flat Panel LCD while the 19" viewing is an 9ru Flat Panel LCD. Both units include Touchscreen and 19" Rack mount monitor and is Perfect for 19" racks, 19" cabinets or 19" consoles where touchscreen ability is required.

It has been designed to provide industrial users with high picture quality and with state of the art features housed in a rugged industrial enclosure, which assures a reliable operation in most harsh environments.

Includes OSD Function (On Screen Display) for LCD, front handles for Quick installation is achievable with the standard 19" rackmounting and supplied with DVI, D Sub (SVGA) and USB interface options for easy connection to your equipment. It is also available in 19" viewing, refer to P/N; RWS-119FP-TS-RM.

- Touchscreen Supports; Windows XP/Vista, 98/2000, Windows 7, Linux, Linux USB.

- Supports Apple Mac for Video only, no touch screen.

Refer to Rack World Systems website for full specifications.



17"LCD Touch Screen	117WP-TS-RM
19"LCD Touch Screen	119WP-TS-RM

Features

Rugged industrial enclosure.

Superior picture quality with state of the art features.

Reliable operation in harsh environments.

Support Sun Native resolution.

Bright Active Matrix TFT.

OSD Function (On Screen Display) for LCD.

Panel protected by tempered glass.

Specifications

Display (view area): 19" TFT Bright Active Matrix Panel

Dimension: (WxHxD) 482.6mm x 9U (398.6) x 64mm

Weight: 14kg / 30.9 lbs

Pixel Pitch: 0.098mm x 0.294mm

Max. Resolution: 1280x1024 (SXGA)

Contrast Ratio: 500:1

Brightness: 300 cd/m

Backlight: Four lamps for back light

Viewing angle: Right - Left view 140° (Typ)

Up-Down view 140° (Typ)

Support Colours: 16.7M Colours (8-bit with FRC)

Response Time: Rising Time 2ms, Decay Time 10ms

Front Control: Power Switch, Menu, Select (Up, Down),

Adjust (+, -)

OSD: Auto-Adjustment, Contrast, Brightness,

Clock, Phase, H-Position, V-Position,

Color Temperature, Load default

Plug & Play: DDC1/2B

Input source: DVI Cable / VGA Cable

Power Source: 100~240 VAC Input.

Power consumption: 21.05W

Temperature: Operate 0° ~ 50°C / 32 ~ 122°F

Humidity: Operate 10% ~ 90%

Chasis Construction: Heavy duty steel materials.

Systems Drivers Supported: Windows XP/Vista, 98/2000,

Windows 7, Linux, Linux USB.

Flat Panel LCD with Swing Tray



Rack World Systems newly release Flat Panel LCD with 17" and 19" viewing with inbuilt swing tray has evolved from it's predecessor Flat Panel LCD. It was developed to further enable input flexibility to it's customers applications.

While the 17" is 8ru tall the 19" is 9ru tall, both units include Swing Tray. These 19" Rack Mounting monitors are Perfect for 19" racks, 19" cabinets or 19" consoles where a it requires an up or down swing to provide adjustable viewing.

Additional Inputs and Speaker

With similar features it still includes Includes OSD Function (On Screen Dipslay). The newer version now includes an HDMI input for an alternative input. HDMI, D Sub 15 pin (SVGA) , S Video, RCA , RGB, speaker and head phone inputs. 2 x internal speakers provide direct sound.

Optional

Upgrade Option with Touch screen and USB interface is available for customers requiring touch screen ability for easy connection to your equipment.

- Supports PC for optional touch screen.
- Supports PC or Apple Mac for Video.

Refer to Rack World Systems website for full specifications.

1ru Keyboard Draw

Rack World Systems newly release 1ru keyboard with has evolved from feed back from customers based on it's predecessor being a PS2 version only.

We have further developed this new version with smoother slide rails and cable input flexibility now shipping with USB and PS2 inputs. This flexibility enables customers to choose there application without having to use any converters that may cause drop outs when PC's or Devices are put into sleep mode.

In addition it is manufactured in a rugged industrial enclosure, which will assure reliable operation in most harsh environments and is Plug-n-Play compliant.

This keyboard may be expanded and utilised with RWS Flat Panel LCD's or Standalone series of KVM's.

Includes

Rack Mount 19" Sliding keyboard with Keyboard & Trackpad. Includes front and rear extendable mounting, handle, 1 set of M6 cage nuts and screws for mounting. 2 Year Return to base Warranty.



007 Keyboard Drawer	007-SKD-01
RWS Keyboard Drawer	117WP-TS-RM